

# **SAFETY DATA SHEET**

### 1. Identification

Product identifier NOVAMET 910 B

Other means of identification

**Article-No.** 40875600

Recommended use Water-miscible metal working fluid. Industrial use.

Recommended restrictions None known.

Manufacturer/Supplier

Oemeta, Inc.

5655 West 610 South Salt Lake City, UT 84104 Phone: (+1) 801 953-0134 Fax: (+1) 801 953-0446

Further information obtainable from

Oemeta Service

Phone: (+49) 4122-924-132 Fax: (+49) 4122-924-157

**Emergency Telephone** 

Number

Toll Free Access within USA, Canada, Mexico: 1.866.519.4752 (24h)

Outside of the US please call: (+1) 760 476 3962 (24h)

Please provide the following code: 333910

### 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Sensitization, skin Category 1

OSHA defined hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** May cause an allergic skin reaction.

40875600 Version #: 1.0 Revision date: 10-01-2018 Issue date: 10-01-2018

**Precautionary statement** 

Prevention Avoid breathing mist or vapor. Contaminated work clothing must not be allowed out of the

workplace. Wear protective gloves.

**Response** If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise None known.

classified (HNOC)



#### Supplemental information

1.42% of the mixture consists of component(s) of unknown acute dermal toxicity. 1.42% of the mixture consists of component(s) of unknown acute inhalation toxicity. Not classified as hazardous according to GHS when diluted to 20% or less.

### 3. Composition/information on ingredients

### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Distillates, petroleum, hydrotreated light naphthenic		64742-53-6	20 - < 30
Alcohols, C16-18 and C18-unsatd., ethoxylated		68920-66-1	1 - < 4
2-phenoxyethanol		122-99-6	1 - < 3
Ethanol, 2,2'-(methylimino)bis-		105-59-9	1 - < 3
Sulfonic acids, petroleum, sodium salts		68608-26-4	1 - < 3
1,2-Benzisothiazol-3(2H)-one		2634-33-5	0.1 - < 0.2
2-n-butyl-benzo[d]isothiazol-3-one		4299-07-4	0.1 - < 0.2
Other components below reportable le	evels		60 - < 70

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. May cause an allergic skin reaction. Dermatitis. Rash. Most important

symptoms/effects, acute and delayed

Indication of immediate medical attention and special

treatment needed **General information**  Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

#### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

**Hazardous combustion** products

Special protective equipment and precautions for firefighters During fire, gases hazardous to health may be formed.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Combustion products may include the following: carbon oxides (CO, CO2); nitrogen oxides (NO,

NO2); sulfur oxides (SO2, SO3).

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be

Material name: NOVAMET 910 B 40875600 Version #: 1.0 Revision date: 10-01-2018 Issue date: 10-01-2018

contained. For personal protection, see section 8 of the SDS.



Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling

Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

V-1...

### 8. Exposure controls/personal protection

#### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form	
Distillates, petroleum, hydrotreated light naphthenic (CAS 64742-53-6)	PEL	5 mg/m3	Mist.	
US ACGIH Throshold Limit Valu	105			

#### US. ACGIH Threshold Limit Values

Components	туре	value	FOIIII
Distillates, petroleum,	TWA	5 mg/m3	Inhalable fraction.
hydrotreated light			

hydrotreated light naphthenic (CAS 64742-53-6)

# **US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Туре	Value	Form	
Distillates, petroleum, hydrotreated light naphthenic (CAS 64742-53-6)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Face shield is recommended. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

Wear appropriate chemical resistant gloves. Recommendation: 706 Lapren (KCL, Germany) with a layer thickness of at least 0.6 mm. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Material name: NOVAMET 910 B sps us

40875600 Version #: 1.0 Revision date: 10-01-2018 Issue date: 10-01-2018



Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Where breathable

aerosols/dust are formed, use suitable combination filter for gases/vapours of organic, inorganic,

acid inorganic, alkaline compounds and toxic particles (e.g. type A/P2; EN 14387).

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

# 9. Physical and chemical properties

Physical state Liquid.
Color Amber.

Odor Characteristic.

Odor threshold Not available.

pH 9.8 DIN 51369

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility (water) Completely miscible.

Partition coefficient

(n-octanol/water)

Not available.

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

**Density** 972.00 kg/m³ DIN 51757

**Explosive properties** Not explosive.

Kinematic viscosity 42 m<sup>2</sup>/s DIN 53018 (104  $^{\circ}$ F (40  $^{\circ}$ C))

Oxidizing properties Not oxidizing.

### 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

**Conditions to avoid**Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Material name: NOVAMET 910 B



Hazardous decomposition

products

No hazardous decomposition products are known.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

### 11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. Skin contact May cause an allergic skin reaction.

Eye contact Based on available data, the classification criteria are not met. Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Not known. **Acute toxicity** 

Components **Species Test Results** 

2-n-butyl-benzo[d]isothiazol-3-one (CAS 4299-07-4)

Acute

**Dermal** 

Liquid

LD50 Rat > 2000 mg/kg

Oral

Liquid

LD50 Rat 4267 - 4732 mg/kg

2-phenoxyethanol (CAS 122-99-6)

**Acute Dermal** 

Liquid

LD50 Rabbit 5000 mg/kg

Oral

Liquid

LD50 Rat

1250 mg/kg

Alcohols, C16-18 and C18-unsatd., ethoxylated (CAS 68920-66-1)

**Acute** 

**Dermal** Liquid

LD50 Rabbit > 2000 mg/kg

Oral

Liquid

LD50 Rat > 2000 mg/kg

Distillates, petroleum, hydrotreated light naphthenic (CAS 64742-53-6)

**Acute** 

**Dermal** 

Liquid

LD50 Rabbit > 5000 mg/kg

Material name: NOVAMET 910 B 5/8

40875600 Version #: 1.0 Revision date: 10-01-2018 Issue date: 10-01-2018



Components Species Test Results

Inhalation

Mist

LC50 Rat > 5.53 mg/l, 4 hours Saturated Vapor

Concentration

Oral

Liquid

LD50 Rat > 5000 mg/kg

Ethanol, 2,2'-(methylimino)bis- (CAS 105-59-9)

Acute Dermal

Liquid

LD50 Rabbit 5990 mg/kg

Oral

Liquid

LD50 Rat 4680 mg/kg

Sulfonic acids, petroleum, sodium salts (CAS 68608-26-4)

Acute
Dermal
Liquid

LD50 Rabbit > 2000 mg/l

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye** Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** May cause an allergic skin reaction.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

12. Ecological information

**Ecotoxicity** Not available.

Material name: NOVAMET 910 B

<sup>\*</sup> Estimates for product may be based on additional component data not shown.



## 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

# 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Material name: NOVAMET 910 B SDS US



Safe Drinking Water Act

(SDWA)

Not regulated.

**Food and Drug** Administration (FDA) Not regulated.

**US** state regulations

WARNING: This product contains a chemical known to the State of California to cause birth

defects or other reproductive harm.

US - California Proposition 65 - CRT: Listed date/Developmental toxin

Ethylene glycol (CAS 107-21-1) Listed: June 19, 2015

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Distillates, petroleum, hydrotreated light naphthenic (CAS 64742-53-6)

**US. California Proposition 65** 

Not Listed.

# 16. Other information, including date of preparation or last revision

10-01-2018 Issue date **Revision date** 10-01-2018

Version # 1.0

**HMIS®** ratings Health: 1

Flammability: 1 Physical hazard: 0

Health: 1 NFPA ratings

Flammability: 1 Instability: 0

NFPA ratings

HMIS® ratings when diluted to 20% or less: Health: 0, Flammability: 0, Physical Hazard: 0. Ratings of aqueous dilution

NFPA ratings when diluted to 20% or less: Health: 0, Flammability: 0, Instability: 0.

The information in the sheet was written based on the best knowledge and experience currently Disclaimer

available. The editor cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product,

and to assume liability for loss, injury, damage or expense due to improper use.

TR01102018 Approved.

40875600 Version #: 1.0 Revision date: 10-01-2018 Issue date: 10-01-2018